

## Cisco Unified Communications Manager Express 7.1

Cisco® Unified Communications Solutions unify voice, video, data, and mobile applications on fixed and mobile networks, enabling easy collaboration every time from any workspace.

Cisco Unified Communications Manager Express provides call processing to Cisco Unified IP Phones for small or branch-office environments. It enables the large portfolio of Cisco integrated services routers to deliver unified communications features that business users commonly use to meet the voice and video communications requirements of the small or medium-sized office. Cisco Unified Communications Manager Express allows you to deploy a cost-effective, highly reliable communications system using a single device with Cisco IOS® Software.

Cisco Unified Communications Solutions deliver a media-rich collaboration experience across business, government agency, and institutional workspaces. These applications use the network as the platform to enhance comparative advantage by accelerating decision time and reducing transaction time. The security, resilience, and scalability of the network enable users in any workspace to easily connect anywhere, any time, and anyplace, using any media, device, or operating system. Cisco Unified Communications is part of a comprehensive solution that includes network infrastructure, security, wireless, management applications, lifecycle services, flexible deployment and outsourced management options, and third-party applications.

You can now scale unified communications to a small or medium-sized site with a system that is very simple to deploy, administer, and maintain. Cisco Unified Communications Manager Express is ideal if you are looking for an integrated, reliable, feature-rich telephony system for up to 250 users.

### Key Features and Benefits

Unified communications is currently undergoing tremendous growth, accelerated by access to value-added features and applications only unified communications can provide. Additionally, the cost benefits of converging data, voice, and video onto a single network are adding to the rapid acceptance of this technology.

Cisco Unified Communications Manager Express is available for the enterprise branch office using Cisco integrated services routers or for the small-office business owner as part of the Cisco Smart Business Communications System.

Cisco Unified Communications Manager Express enhances the advantages of convergence by offering the following benefits:

- Cost-effective operations through a single, integrated voice and data platform for all branch-office needs: Highly reliable routers, including the Cisco 1800, 2800, and 3800 Series Integrated Services Routers, provide robust quality of service (QoS), network security, encryption, firewall, and network modules that deliver content networking and enhanced VPN services to address branch- and small-office business needs. The system delivers integrated IP telephony, voicemail, and Automated-Attendant functions, allowing you to deploy one device to address all your business needs, thereby simplifying

management, maintenance, and operations and delivering a lower total cost of ownership (TCO).

- Complete voice and data networking solution for the small business: The Cisco Smart Business Communications System provides an innovative, comprehensive business communications solution with tightly coupled voice, data, video, network security, wireless mobility, and system management. Its components are designed as a complete system for your small business, allowing your business communications to evolve as your needs change.
- Sophisticated key system and private-branch-exchange (PBX) capabilities: Small offices have different workflows and require specialized features to support their work practices. Cisco Unified Communications Manager Express delivers a robust set of telephony features for the small office and delivers innovative value-added capabilities through XML. These capabilities, which traditional systems cannot deliver, enhance the productivity of the end user and the business.
- Contact center capabilities: From basic call queuing to sophisticated contact centers for small to medium-sized companies, branch-office locations, or departments, you can deploy agent-assisted or self-service applications to reduce business costs and improve customer response by providing sophisticated and distributed automatic call distributor (ACD), interactive voice response (IVR), computer telephony integration (CTI), and agent and desktop services.
- Interoperability with Cisco Unified Communications Manager: You can deploy Cisco Unified Communications Manager at larger sites and Cisco Unified Communications Manager Express at branch-office locations where local call processing is required. Using H.323 or Session Initiation Protocol (SIP) trunking, you can route calls over the WAN with calling-party name and number information, plus compressed voice for better WAN bandwidth usage.
- Cisco Unified CallConnectors for desktop CTI: You can simplify communications and facilitate collaboration between users and customers with the easy-to-use interface of the Cisco Unified CallConnector suite. These products extend customer information with call control to the Microsoft Windows desktop, providing integration with popular customer-relationship-management (CRM) products or Microsoft Windows for more effective communications.
- Investment protection and ease of upgrade to centralized call-processing systems: With a simple software configuration change on the router, you can convert an integrated services router system with Cisco Unified Communications Manager Express to a highly available survivable remote site telephony gateway in a centralized Cisco Unified Communications Manager deployment architecture. This flexibility helps ensure full investment protection to successful businesses that might outgrow the system capacity.
- Remote maintenance and troubleshooting: You can use the industry-standard Cisco IOS Software command-line interface (CLI) or user-friendly GUI to configure and administer Cisco Unified Communications Manager Express.

Cisco Unified Communications Manager Express allows a Cisco integrated services router or Cisco Smart Business Communications System to provide call processing for locally attached IP and analog phones. All the necessary files and configurations for IP phones are stored internally on the appliance, providing a single-platform solution. In addition, the solution offers a robust set of public-switched-telephone-network (PSTN) interfaces, integrated voicemail and Automated Attendant, and a full phone portfolio.

Cisco IOS Software offers industry-leading voice features designed for IP-based telephony systems, such as H.323 and SIP signaling, advanced QoS, and integrated services router interworking with an H.323 gatekeeper or SIP proxy server -- all available for use with Cisco Unified Communications Manager Express deployments. In addition, devices with integrated functions such as channel service unit/data service unit (CSU/DSU) and Network Termination 1 (NT1) are available with digital PSTN interface cards to provide flexible and robust voice services.

### IP Phone Support

Although Cisco Unified Communications Manager Express is typically suitable for fewer than 200 users, a maximum of 250 IP phones can be supported across a choice of platforms. IP phone operation is similar to that for Cisco Unified Communications Manager, allowing for ease of user training if you migrate to a Cisco Unified Communications Manager as you outgrow the Cisco Unified Communications Manager Express solution. Table 1 lists the maximum numbers of phones supported on each platform with Cisco Unified Communications Manager Express 7.1.

**Table 1.** IP Phone Support per Platform

Platform	Maximum Number of Phones
Cisco Unified Communications 500 Series for Small Business as part of the Cisco Smart Business Communications System	64
Cisco 1861 Integrated Services Router	15
Cisco IAD2430 Integrated Access Device	25
Cisco 2801 Integrated Services Router	25
Cisco 3250 Rugged Integrated Services Router	20
Cisco 3270 Rugged Integrated Services Router	48
Cisco 2811 Integrated Services Router	35
Cisco 2821 Integrated Services Router	50
Cisco 2851 Integrated Services Router	100
Cisco 3825 Integrated Services Router	175
Cisco 3845 Integrated Services Router	250

Cisco Unified Communications Manager Express supports the Cisco Unified IP Phone models listed in Table 2.

**Table 2.** Supported Cisco Unified IP Phone Models

Executive	Manager	Business	Basic
Cisco Unified IP Phone 7975G	Cisco Unified IP Phone 7965G	Cisco Unified IP Phone 7945G	Cisco Unified IP Phone 7911G
Cisco Unified IP Phone 7971G-GE	Cisco Unified IP Phone 7962G	Cisco Unified IP Phone 7942G	Cisco Unified IP Phone 7906G
Cisco Unified IP Phone 7970G	Cisco Unified IP Phone 7961G-GE	Cisco Unified IP Phone 7941G-GE	Cisco Unified SIP Phone 3911
	Cisco Unified IP Phone 7961G	Cisco Unified IP Phone 7941G	

	Cisco Unified IP Phone 7960G	Cisco Unified IP Phone 7940G	
<b>Multibutton</b>	<b>Mobility</b>	<b>Conference Stations</b>	<b>Video Telephony</b>
Cisco Unified IP Phone 7931G	Cisco Unified Wireless IP Phone 7920	Cisco Unified IP Conference Station 7936	Cisco Unified Video Advantage
Cisco Unified IP Phone Expansion Module 7914, 7915, and 7916 modules (56 buttons maximum)	Cisco Unified Wireless IP Phone 7921G and 7925G models	Cisco Unified IP Conference Station 7937	Cisco Unified IP Phone 7985G personal desktop videophone
	Cisco IP Communicator Softphone for Windows		

These intelligent Cisco Unified IP Phones (Figure 1) support the following enhancements:

- Display-based features with easy-to-use softkeys
- Customer choice of using Skinny Client Control Protocol (SCCP) or SIP for commonly deployed IP phones
- Language localization and feature customization along with support for XML-based applications
- Support for 802.3af or Cisco Prestandard Power over Ethernet from a Cisco Catalyst® switch, or Cisco EtherSwitch® network module or high-speed WAN interface card available on the Cisco 1800, 2800, 3700, and 3800 Series Integrated Services Routers and Cisco Unified Communications 500 Series for Small Business

**Figure 1.** Cisco Unified IP Phone Family



**Product Features**

Cisco Unified Communications Manager Express provides a sophisticated set of key system and PBX telephony features designed for businesses and branch offices of all sizes. It also provides several industry-unique features that are not available with most other traditional telephony solutions. Table 3 summarizes the features available with Cisco Unified Communications Manager Express Version 7.1. Consult the Feature Navigator at <http://www.cisco.com> for the latest Cisco IOS Software version.

**Table 3.** Cisco Unified Communications Manager Express 7.1 Features

Feature	Description
<b>Phone features</b>	<ul style="list-style-type: none"> <li>• Maximum 250 phones per system</li> <li>• Up to 34 line appearances per phone</li> <li>• Attendant console functions using Cisco Unified IP Phone Expansion Module 7915/7916</li> <li>• Fast transfer: Blind or consult</li> <li>• Busy lamp</li> <li>• Silent ringing options</li> <li>• Distinctive ring per line</li> <li>• Automatic line selection for outbound calls</li> <li>• Call forward on busy, no answer, and all (internal or external)</li> <li>• Call-forward-all restriction control</li> <li>• Do not disturb (DND)</li> <li>• Feature ring with DND set</li> <li>• IP phone display of DND state</li> <li>• Dial-plan pattern load on SIP phones</li> <li>• Diversion of calls directly to voicemail</li> <li>• Customization of softkeys</li> <li>• Enable and disable call-waiting notification per line</li> <li>• Call waiting with overlay directory number</li> <li>• Call-waiting ring</li> <li>• Dual or eight call line appearances per button</li> <li>• After-hours toll-bar override</li> <li>• Auto-answer with headset</li> <li>• European date formats</li> <li>• Hook flash passthrough across analog PSTN trunks</li> <li>• Idle URL: Periodically push messages or graphics on IP phones</li> <li>• Last-number redial</li> <li>• Live record to Cisco Unity<sup>®</sup> Express mailbox</li> <li>• Local name directory lookup</li> <li>• On-hook dialing</li> <li>• Station speed dial with configuration changes from IP phone</li> <li>• System speed dial for 10,000 numbers</li> <li>• Silent and feature ring options</li> <li>• SIP-based line-side subscribe, providing basic presence of phone status</li> <li>• Transfer to voicemail softkey</li> <li>• Call barge with privacy on shared lines</li> <li>• Access features using softkeys or feature access codes</li> <li>• Remote teleworker IP phone support</li> <li>• Dynamic hunt-group join or leave</li> <li>• Support for analog phones using Cisco ATA 186 Analog Telephone Adaptor or Cisco VG224 Analog Voice Gateway in Skinny Client Control Protocol (SCCP) mode</li> <li>• Support for fax machines on foreign-exchange-station (FXS) ports or ATA using H.323, SCCP, or SIP</li> <li>• Support for Cisco VG202 and VG204 Analog Voice Gateways*</li> <li>• XML application services on Cisco Unified IP display phones</li> <li>• Station-to-station video with voice using Cisco Unified Video Advantage or Cisco Unified IP Phone 7985G endpoints</li> <li>• Extension mobility within the single site</li> <li>• Wideband audio (G.722) and Internet low bit rate codec (iLBC)</li> <li>• Single Number Reach for mobility in Cisco IOS Software*</li> <li>• Whisper intercom*</li> <li>• Shared line on SIP phones with privacy and barge capabilities*</li> </ul>

<b>Trunk features</b>	<ul style="list-style-type: none"><li>• Analog foreign-exchange-office (FXO) Loop and Ground Start</li><li>• Ear and mouth (E&amp;M)</li><li>• Basic Rate Interface (BRI) and Primary Rate Interface (PRI) support (NI2, 4ESS, 5ESS, EuroISDN, DMS100, and DMS250) and several other switch types currently supported in Cisco IOS Software</li><li>• Caller ID name and number</li><li>• Automatic number identification (ANI)</li><li>• Digital trunk support (T1/E1)</li><li>• Direct inward dialing (DID)</li><li>• Direct outward dialing</li><li>• E1 R2 support</li><li>• Dedicated trunk mapping to phone button</li><li>• H.323 trunks with H.450 support</li><li>• H450.12 automatic detection of H.450 support for remote H.323 endpoints</li><li>• H.323-to-H.323 hairpin call routing for non-H.450-compliant H.323 endpoints</li><li>• SIP trunks and RFC 2833 support</li><li>• Transcoding with G.711, G.729a, and iLBC*</li><li>• ECMA/ISO ISDN Q.SIG supplementary services of basic calls, including:<ul style="list-style-type: none"><li>◦ Call forwarding busy, no answer, all</li><li>◦ Calling line identification presentation (CLIP) and calling name identification presentation (CNIP)</li><li>◦ Connected line identification presentation (COLP) and connected name identification presentation (CONP)</li><li>◦ Message waiting indicator (MWI) and message center support</li><li>◦ MWI passthrough QSIG-to-time-division multiplexing (TDM) voicemail</li></ul></li></ul>
-----------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<b>System features</b>	<ul style="list-style-type: none"> <li>• Account codes and call-detail-record (CDR) field entry</li> <li>• Call-back busy subscriber and camp-on</li> <li>• Per-phone call-coverage rules</li> <li>• Call hold and retrieve</li> <li>• Call park: Personal and directed</li> <li>• Call transfer* and park recall</li> <li>• Call park assign to extension</li> <li>• Call pickup directed</li> <li>• Call pickup local group</li> <li>• Call pickup explicit group</li> <li>• Call transfer: Consultative and blind</li> <li>• Call waiting</li> <li>• Call park and pickup on both SCCP and SIP phones*</li> <li>• CTI with Microsoft CRM and Outlook using Cisco IOS Software Telephony Services Provider (TSP)</li> <li>• E911 with two emergency location numbers per zone; unlimited zones per site</li> <li>• Eight-party impromptu conferencing</li> <li>• Directory services using XML</li> <li>• Hunt groups: Sequential, circular, parallel (blast), and longest idle</li> <li>• Hunt-group dynamic log in and log out</li> <li>• Hunt-groups statistics: Daily and hourly</li> <li>• Intercom</li> <li>• Temporary conferencing (8 parties)</li> <li>• Meet-me conferencing (32 parties)</li> <li>• Music on hold (MoH): Internal or external source</li> <li>• Night service bell or call forwarding</li> <li>• Overlay extensions for enhanced call coverage</li> <li>• Called-name display for overlay extensions</li> <li>• Paging: Internal through IP phones or to external system</li> <li>• Per-call caller ID blocking</li> <li>• Secondary dial tone</li> <li>• Standards-based network call transfer and call forwarding using H.450</li> <li>• Additional system speed-dial option through XML service</li> <li>• Time-of-day and day-of-week call blocking</li> <li>• Customizable called-name display</li> <li>• Support of Survivable Remote Site Telephony (SRST) fallback service phone autoregistration</li> <li>• Basic automatic call distributor (B-ACD) (three queues) with Automated Attendant and call statistics</li> <li>• Display of number of calls in queue on IP phone</li> <li>• Agent log in and log out of B-ACD hunt group</li> <li>• Integration with Cisco Unified Contact Center Express 5.0 for advanced call center features with support for up to 50 agents, agent supervisors, call recording, silent monitoring, and reporting features</li> <li>• Secure Real-Time Transport Protocol (SRTP) providing media encryption for calls on the IP network</li> <li>• Secure voice IP phone certificate authentication and provisioning plus secure device signaling using Transport Layer Security (TLS)</li> <li>• Video over SIP trunk with H264 codec support*</li> <li>• Multilevel Precedence and Preemption (MLPP) support over PRI trunks*</li> <li>• Busy Lamp Field monitoring of conference directory numbers and call-park slots*</li> <li>• Cisco Unified Communications Manager Express and Cisco Unity Express username and password synchronization*</li> </ul>
<b>Voicemail features</b>	<ul style="list-style-type: none"> <li>• Integrated voicemail and Automated-Attendant solution with Cisco Unity Express</li> <li>• Integration with Cisco Unity Voicemail and Cisco Unity unified messaging, or third-party voicemail integration (H.323, SIP, or dual tone multifrequency [DTMF])</li> </ul>
<b>International localization</b>	<p>Per-phone localization for up to five local languages per system, including English, Bulgarian, Chinese Mandarin and Cantonese, Croatian, Czech, Danish, Dutch, European Spanish, Finnish, French, German, Greek, Hungarian, Italian, Japanese Kanji and Katakana, Korean, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovakian, Slovenian, Swedish, and Turkish.</p>

<b>Management features</b>	<ul style="list-style-type: none"> <li>• Automatic assignment of extensions to phones for easy phone additions</li> <li>• Extension assigner, allowing for deployment of new phones using voice prompts</li> <li>• Single web-based GUI for moves, adds, and changes for system and integrated voicemail with three levels of GUI administration: System administrator, customer administrator, and user</li> <li>• Centralized network management deployments using Cisco CNS Configuration Engine</li> <li>• Telephony-service setup and configuration using HTML Quick Configuration Tool</li> <li>• Simple Network Management Protocol (SNMP) support with Cisco Unified Operations Manager or third-party management consoles</li> </ul>
----------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

\* New feature with Version 7.1.

## Summary

Cisco Unified Communications Manager Express delivers telephony features you need to meet the requirements of your small or branch office. Cisco integrated services routers offer high reliability and advanced applications, including unified communications, VPN, firewall, encryption, dial access, Ethernet switching with Power over Ethernet, and content networking within a single all-in-one platform that is easy to deploy and maintain, resulting in a lower total cost of ownership.

As your business expands, you can easily migrate Cisco Unified Communications Manager Express to a Cisco Unified Communications Manager large-scale IP telephony solution. All hardware and software used by this solution is fully compatible with Cisco Unified Communications Manager and Cisco Unified Survivable Remote Site Telephony (SRST), giving you robust investment protection.

## Cisco Unified Communications Services

Cisco Unified Communications Services allows you to accelerate cost savings and productivity gains associated with deploying a secure, resilient Cisco Unified Communications Solution. Delivered by Cisco and our certified partners, our portfolio of services is based on proven methodologies for unifying voice, video, data, and mobile applications on fixed and mobile networks. Our unique lifecycle approach to services enhances your technology experience to accelerate true business advantage.

## For More Information

Partners looking for ordering information should refer to the Cisco Unified Communications Manager Express ordering guide available on the partner site: <http://www.cisco.com/go/partner>.

For more information about Cisco Unified Communications Manager Express, visit <http://www.cisco.com/go/ccme>.

If you have questions, send an email message to [access-ccme-cue@cisco.com](mailto:access-ccme-cue@cisco.com).



**Americas Headquarters**  
Cisco Systems, Inc.  
San Jose, CA

**Asia Pacific Headquarters**  
Cisco Systems (USA) Pte. Ltd.  
Singapore

**Europe Headquarters**  
Cisco Systems International BV  
Amsterdam, The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at [www.cisco.com/go/offices](http://www.cisco.com/go/offices).

CCDE, CCENT, Cisco Eos, Cisco HealthPresence, the Cisco logo, Cisco Lumin, Cisco Nexus, Cisco StadiumVision, Cisco TelePresence, Cisco WebEx, DCE, and Welcome to the Human Network are trademarks; Changing the Way We Work, Live, Play, and Learn and Cisco Store are service marks; and Access Registrar, Aironet, AsyncOS, Bringing the Meeting To You, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, CCVP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Collaboration Without Limitation, EtherFast, EtherSwitch, Event Center, Fast Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient, IOS, iPhone, iQuick Study, IronPort, the IronPort logo, LightStream, Linksys, MediaTone, MeetingPlace, MeetingPlace Chime Sound, MGX, Networkers, Networking Academy, Network Registrar, PCNow, PIX, PowerPanels, ProConnect, ScriptShare, SenderBase, SMARTnet, Spectrum Expert, StackWise, The Fastest Way to Increase Your Internet Quotient, TransPath, WebEx, and the WebEx logo are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0812R)

Printed in USA

C78-520029-00 02/09